SDS Revision/Review Date: 08/20/2020 SDS P-3 Rev 2

1. Identification

1.1. Product identifier

Product Identity PYX Explosive
Alternate Names PYX, Detotec PYX,

2,6-Bis(picrylamino)-3,5-dinitropyridine

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended useSee Technical Data Sheet.Application MethodSee Technical Data Sheet.

1.3. Details of the supplier of the safety data sheet

Manufacturer/Supplier Detotec North America, Inc.

401 Snake Meadow Hill Road

Sterling, CT 06377 1-860-564-1012

1.4. 24-hour Emergency telephone number ChemTel Inc.

1 (800) 255-3924 (North America) +1 (813) 248-0585 (International)

Call Collect to ensure bilingual operator

2. Hazard(s) identification

2.1. Classification of the substance or mixture

Expl. 1.1;H201 Explosive; mass explosion hazard.

Acute Tox. 3;H301 Toxic if swallowed.

STOT SE 1;H370 Causes damage to organs. Specific Target Organs: (Not Available)

STOT RE 2;H373 May cause damage to organs through prolonged or repeated exposure (if ingested).

2.2. Label elements

Using the Toxicity Data listed in section 11 and 12 the product is labeled as follows.



Danger

H201 Explosive; mass explosion hazard.

H301 Toxic if swallowed.

H316 Causes mild skin irritation.

SDS Revision/Review Date: 08/20/2020 SDS P-3 Rev 2

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H370 Causes damage to organs.

H373 May cause damage to organs through prolonged or repeated exposure (if ingested).

[Prevention]:

P210 Keep away from heat / sparks / open flames / hot surfaces - No smoking.

P250 Do not subject to grinding/shock//friction.

P260 Do not breathe mist / vapors / spray.

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

[Response]:

P301+312 IF SWALLOWED: Call a POISON CENTER or doctor / physician if you feel unwell.

P302+352 IF ON SKIN: Wash with plenty of soap and water.

P307+311 IF exposed: Call a POISON CENTER or doctor / physician.

P314 Get Medical advice / attention if you feel unwell.

P321 Specific treatment (see information on this label).

P330 Rinse mouth.

P363 Wash contaminated clothing before reuse.

P370+380 In case of fire: Evacuate area.

P372 Explosion risk in case of fire.

P373 DO NOT fight fire when fire reaches explosives.

[Storage]:

P401 Store in accordance with applicable regulations.

P405 Store locked up.

[Disposal]:

P501 Dispose of contents / container in accordance with local / national regulations.

3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
PYX 2,6-Bis(picrylamino)-3,5-dinitropyridine CAS Number: 38082-89-2	75 - 100	Expl. 1.1;H201 Acute Tox. 3;H301 STOT SE 1;H370 STOT RE 2;H373	
Graphite CAS Number: 7782-42-5	0-25	H319; H335 STOT SE 3 STOT RE 2	

SDS Revision/Review Date: 08/20/2020 SDS P-3 Rev 2

Water CAS Number: N/A 0-25 N/A

- [1] Substance classified with a health or environmental hazard.
- [2] Substance with a workplace exposure limit.
- [3] PBT-substance or vPvB-substance.

4. First aid measures

4.1. Description of first aid measures

General In all cases of doubt, or when symptoms persist, seek medical attention.

Never give anything by mouth to an unconscious person.

Inhalation Not a likely route of exposure. If inhaled, remove to fresh air. If not breathing, give artificial

respiration. If breathing is difficult, give oxygen. Seek prompt medical attention.

Eyes Not a probable route of exposure.

Skin Remove contaminated clothing. Wash skin thoroughly with soap and water or use a

recognized skin cleanser.

Ingestion Not a probable route of exposure; seek medical advice if ingested.

4.2. Most important symptoms and effects, both acute and delayed

Overview The product is Division 1.1 explosive, and detonation may cause severe physical injury,

including death. All explosives are dangerous and must be handled carefully and used following approved safety procedures under the direction of competent, experienced persons in accordance with all applicable federal, state and local laws, regulations, and

ordinances.

Ingestion of PYX may cause disorders or epiliptiform seizures.

None of the components of PYX are listed as a carcinogen by NTP, IARC, or OSHA. See

section 2 for further details.

Skin Causes mild skin irritation. **Ingestion** Harmful if swallowed.

5. Fire-fighting measures

5.1. Extinguishing media

Water sprinkler/deluge system recommended. Do not attempt to manually extinguish fires. Burning explosives may accelerate to a detonation at any time when subjected to confinement, shock or other sufficient initiations source. Personnel should leave the building immediately using as much protective cover as possible and activated deluge systems and fire alarm equipment while escaping.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition: Carbon dioxide, carbon monoxide and nitrogen oxides.

Keep away from heat / sparks / open flames / hot surfaces - No smoking.

^{*}The full texts of the phrases are shown in Section 16.

SDS Revision/Review Date: 08/20/2020 SDS P-3 Rev 2

Do not subject to grinding/shock/friction.

Do not breathe mist / vapors / spray.

5.3. Advice for fire-fighters

FLASH POINT: Not Applicable.

FLAMMABLE LIMITS: Not Applicable.

EXTINGUISHING MEDIA: See below.

SPECIAL FIREFIGHTING PROCEDURES: ALL EXPLOSIVES: DO NOT FIGHT EXPLOSIVES FIRES. Try to keep fire from reaching explosives. Isolate Area. Guard against intruders. Withdraw personnel immediately. Allow fire to burn itself out.

Division 1.1 Explosives: Evacuate the area for 5000 feet (1 mile). Consult the 2020 Emergency Response Guidebook, Guide 112 for further details.

UNUSUAL FIRE AND EXPLOSION HAZARDS: May explode when subjected to fire or shock. Avoid toxic fumes from fire.

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

6.2. Environmental precautions

Do not allow spills to enter drains or waterways.

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

6.3. Methods and material for containment and cleaning up

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Protect from all ignition sources. Sweep up and dispose of all spilled material immediately. Only competent, experienced persons should be involved in cleanup procedures. Do not permit smoking or open flames near spill site.

WASTE DISPOSAL METHOD: Dispose of under direct supervision of a qualified person according to local, state and federal regulations. This material may become a hazardous waste as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR, parts 260-271, and must be collected, labeled and disposed of per state and federal hazardous waste regulations.

7. Handling and storage

7.1. Precautions for safe handling

COMPLY WITH "ALWAYS AND NEVERS" AS ADOPTED BY THE INSTITUTE OF MAKERS OF EXPLOSIVES. TRANSPORTATION, STORAGE AND USE MUST COMPLY WITH OSHA SAFETY AND HEALTH STANDARDS 29 CFR1910.109, APPLICABLE MSHA REGULATIONS, THE DOT AND HAZARDOUS MATERIALS REGULATIONS,

SDS Revision/Review Date: 08/20/2020 SDS P-3 Rev 2

BATF REQUIREMENTS AND STATE AND LOCAL TRANSPORTATION, STORAGE AND USE REGULATIONS AND ORDINANCES.

See section 2 for further details. - [Prevention]:

7.2. Conditions for safe storage, including any incompatibilities

Handle in hood or well-ventilated area. Avoid contact with skin and eyes. Dust generated by handling must be cleaned up on a continuing basis. Wash thoroughly after handling.

Handle containers carefully to prevent damage and spillage.

Incompatible materials: Avoid contact with strong acids or alkalies.

Store in accordance with the requirements of Subpart K, ATF: Explosives Law and Regulations (27 CFR 55.201-55.219). Store in a cool, dry, well-ventilated location.

The maximum recommended temperature for PYX is 500°F (260°C).

See section 2 for further details. - [Storage]:

7.3. Specific end use(s)

No data available.

8. Exposure controls and personal protection

8.1. Control parameters

Exposure

CAS No.	Ingredient	Source	Value
38082-89-2 PYX	OSHA	No Established Limit	
	2,6-Bis(picrylamino)-3,5-dinitropyridine	ACGIH	No Established Limit
	NIOSH	No Established Limit	
	Supplier	No Established Limit	
7782-42-5 Graphite	OSHA	TWA: 2.5 mg/m3 (natural, respirable dust); TWA: 10 mg/m3 (synthetic, total dust); TWA: 5 mg/m3 (synthetic, respirable fraction)	
	ACGIH	TWA: 2 mg/m3 (all forms except graphite fibers, respirable fraction)	
	NIOSH	TWA: 2.5 mg/m3 (natural, respirable dust)	
	Supplier	No Established Limit	

Carcinogen Data

CAS No.	Ingredient	Source	Value
38082-89-2 PYX	OSHA	Select Carcinogen: No	
	2,6-Bis(picrylamino)-3,5-dinitropyridine	NTP	Known: No; Suspected: No
	IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;	
7782-42-5 Graphite	OSHA	Select Carcinogen: No	
	NTP	Known: No; Suspected: No	
	IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;	

SDS Revision/Review Date: 08/20/2020 SDS P-3 Rev 2

8.2. Exposure controls

RespiratoryNot required under normal conditions.EyesNot required under normal conditions.SkinNot required under normal conditions.

Other Work Practices Use good personal hygiene practices. Wash hands before eating, drinking, smoking or

using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

See section 2 for further details. - [Prevention]:

9. Physical and chemical properties

Appearance Yellow crystalline / Solid material

Odor

None* (see additional Odor notes at the end of this

section)

Odor threshold Not Measured PH Not Measured

Melting point / freezing point >360°F / Not Measured

Initial boiling point and boiling range Not Applicable
Flash Point Not Applicable

Risk of explosion by shock, friction, fire or other sources

of ignition.

Heating may cause an explosion.

Evaporation rateNot Applicable **Flammability (solid, gas)**Not Applicable

Upper/lower flammability or explosive limits Lower Explosive Limit: Not Measured

Upper Explosive Limit: Not Measured

Vapor pressure (mm Hg)Not ApplicableVapor Density (Air = 1)Not Applicable

Specific Gravity (H₂O=1)1.77Solubility in WaterInsolublePartition coefficient n-octanol/water (Log Kow)Not MeasuredAuto-ignition temperatureNot MeasuredDecomposition temperatureNot Measured

Viscosity (cSt) Not Measured

Yellow crystalline solid (powder). No distinguishable odor **Appearance and Odor** when dry; Powder may be wet (desensitized) with water

(odorless) or a water alcohol mixture (methanol odor).

9.2. Other information

Danger of explosion:

No other relevant information.

SDS Revision/Review Date: 08/20/2020 SDS P-3 Rev 2

10. Stability and reactivity

10.1. Reactivity

Hazardous Polymerization will not occur.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

May explode when subjected to fire, shock, or high-energy projectile impact.

10.5. Incompatible materials

Avoid contact with strong acids or alkalies.

10.6. Hazardous decomposition products

Gases produced may contain carbon monoxide and nitrogen oxides.

11. Toxicological information

Acute toxicity

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LD50, mg/L/4hr	Inhalation Dust/Mist LD50, mg/L/4hr	Inhalation Gas LD50, ppm
PYX 2,6-Bis(picrylamino)-3,5-dinitropyridine – (38082-89-2)	>5g/Kg in rats	No data available	No data available	No data available	No data available

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Classification	Category	Hazard Description
Acute toxicity (oral)	3	Toxic if swallowed.
Skin corrosion/irritation	3	Causes mild skin irritation.
STOT-repeated exposure	2	May cause damage to organs through prolonged or repeated exposure (if ingested).

12. Ecological information

12.1. Toxicity

Aquatic toxicity: See Section 3 for chemical specific data.

SDS Revision/Review Date: 08/20/2020 SDS P-3 Rev 2

Aquatic Ecotoxicity

Ingredient	96 hr LC50 fish,	48 hr EC50 crustacea,	ErC50 algae,
	mg/l	mg/l	mg/l
PYX 2,6-Bis(picrylamino)-3,5-dinitropyridine – (38082-89-2)	Not Available	Not Available	Not Available

12.2. Persistence and degradability

There is no data available on the preparation itself.

12.3. Bioaccumulative potential

Not Measured.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

12.6. Other adverse effects

No data available.

13. Disposal considerations

13.1. Waste treatment methods

Observe all federal, state and local regulations when disposing of this substance.

14. Transport information

Proper Shipping Name	Substances, explosive, n.o.s. (PYX)
Hazard Class	1.1D
UN Number	UN0475
DOT Label & Placard	EXPLOSIVE 1.1D

15. Regulatory information

Regulatory Overview The regulatory data in Section 15 is not intended to be all-inclusive, only selected

regulations are represented.

Toxic Substance Control Act (TSCA) All components of this material are either listed or exempt from listing on the TSCA

Inventory.

WHMIS Classification D1

D1B

US EPA Tier II Hazards Fire: No
Sudden Release of Pressure: Yes

Page 8 of 10

SDS Revision/Review Date: 08/20/2020 SDS P-3 Rev 2

Reactive: No

Immediate (Acute): Yes Delayed (Chronic): Yes

EPCRA 311/312 Chemicals and RQs:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

EPCRA 302 Extremely Hazardous:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

EPCRA 313 Toxic Chemicals:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Carcinogens (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Developmental Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Female Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Male Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

16. Other information

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

H201 Explosive; mass explosion hazard.

H301 Toxic if swallowed.

H316 Causes mild skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H370 Causes damage to organs.

H373 May cause damage to organs through prolonged or repeated exposure (if ingested).

This is the first version in the GHS SDS format. Listings of changes from previous versions in other formats are not applicable.

The information in this Material Safety Data Sheet is based upon available data and believed to be correct; however as such has been obtained from various sources, including the manufacturer and independent laboratories, it is given without warranty or representation that it is complete, accurate, and can be relied upon. Detotec North America, Inc., and its subsidiaries disclaim any warranties with respect to this product, the safety or suitability thereof, or the information contained herein, including without limitation any implied fitness for a particular purpose and/or other warranty. The information contained herein is provided for reference purposes only and is intended only for persons having relevant technical skills. Any other use of this information is expressly prohibited. Because conditions and manner of use are outside of our control, the user is responsible for determining the conditions of safe use of the

SDS Revision/Review Date: 08/20/2020 SDS P-3 Rev 2

product. Buyers and users assume all risk, responsibility and liability whatsoever from any and all injuries (including death), losses, or damage to persons or property arising from the use of this product or information.

End of Document